

Classic Calving Pen



Specifications

- **Dimensions**

Outside: 10' W x 12' L x 7' H **Inside:** 8' x 10' adjustable to 10' x 10'

- **Material**

- **Headgate Cable:** 1/4" galvanized aircraft cable
- **Headgate Stanchions:** 2 3/8" x .188 steel tubing
- **Entrance Panel:** Frame: 2 1/4" x 11 gauge round; Gate: 2" x 16 gauge round
- **Side Panel:** 2" x 14 gauge round & 1 1/2" x 16 gauge square with 105" L x 36" H sheeting
- **Front Panel**
 - Door Posts & Rails:** 2" x 14 gauge round
 - Frame Posts & Rails:** 2" x 11 gauge round
- **10' Panel**
 - Rails:** 2" x 16 gauge round
 - Posts:** 2" x 14 gauge round
- **Paint:** Baked on powder coat paint
- **Weight (in pounds):** 1238 lbs

Optional floor available

Highlighted Features & Advantages


- Double rolling doors in front for safe access in and out of pen
- Safe handling in emergency situations
- Automatic Headgate
- Easy stanchion width adjustment
- Patented ratchet lock in squeeze gate
- Double opening entrance gate latch allows access from both sides
- Panels at rear of cow all swing away to maximize working area & remove corner post

Suggested Applications

- Cow / calf operations
- Show cattle being trained to lead

Classic Calving Pen

Parts List



Classic Calving Pen

Parts List

