
#### Sioux Steel Company...Family-Owned Since 1918



## LIFETIME GUARANTEED GATES

You can trust a Lifetime Warranty from a company that's been around for a lifetime.





YOU DO IT FOR THE NEXT GENERATION

HANGING A SIOUX GATE IS LIKE

C A

to replace them and I doubt my sons will either." – Steve Mowry <sup>Ma & Pa Angus</sup>

FBF

# VICTORY GATES

58000 PSI	POWDER COATED TOUGH	GAUGE		
MODEL	Gauge	Lengths	Height	Bars
2" Victory	16	4' - 20'	50″	6
2" Victory Tall	16	4'-18'	62″	7

SICUX-

With heavy duty Z-bar vertical braces, Victory gates are our heaviest and most durable line offered at Sioux Steel Company. Rounded tops and Prairie Gold powder coating make this one of our most popular livestock products and a must have on your farm or ranch.

A CARDON MONACHINA


- Our heaviest, most durable gate.
- Prairie gold powder coated.
- Heavy-duty Z-bar vertical brace.
- Round top.



VICTORY 2" GATES	LENGTH	WEIGHT
SS450STKLH	4′	38 lbs.
SS650STKLH	6′	50 lbs.
SS850STKLH	8′	72 lbs.
SS1050STKLH	10′	86 lbs.
SS1250STKLH	12′	102 lbs.
SS1450STKLH	14′	119 lbs.
SS1650STKLH	16′	140 lbs.
SS1850STKLH	18′	160 lbs.
SS2050STKLH	20′	166 lbs.

**Note:** Victory Gates are sold less hinges. Order hinges separately. All specifications are subject to change or improvement without notice.

#### **2" VICTORY TALL GATE**



VICTORY 2" TALL GATES	LENGTH	WEIGHT
S164123	4′	46 lbs.
S164125	6′	82 lbs.
S164127	8′	106 lbs.
S164096	10′	114 lbs.
S162096	12′	136 lbs.
S162097	14′	164 lbs.
S162926	16′	186 lbs.
S179315PG	18′	199 lbs.





f y 🛛 🕨 in 🤊



Note: Victory Gates are sold less hinges. Order hinges separately. All specifications are subject to change or improvement without notice.



www.siouxsteel.com info@siouxsteel.com

Tom LaFaive, retired ranch manager at Bad River Ranch in Ft. Pierre, SD.,



## SIOUX STEEL COMPANY HIQUAL GATES

1	58.000 PSI POWDER COATED TOUGH	)
1. 24	ALL PROPERTY AND A REAL PR	1 6 1

MODEL	Gauge	Lengths	Height	Bars
2" Heavy Duty	16	4'-20'	48″	5
2" Cattleman's	16	8'-16'	52″	6
2" Super Six	16	8'-16'	59″	6
A STATE OF A	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		CONTRACTOR OF	1-1-202013

16 JØE

All Sioux Steel gates feature a powder coated finish in which premium paint is baked at high temperatures onto the metal of the gate, thus insuring a long-lasting protective barrier against the elements.



- A high quality, working gate.
- Brown powder coated with square tops.
- Notched horizontal & center verticals.
- Include welded on collar hinges, excluding Super Six Gate.

#### 2" HEAVY DUTY GATE

Contraction of the Address of the Ad	12

16 GAUGE


5

BARS

INCHES HIGH

INCHES HIGH





#### SUGGESTED APPLICATIONS:

- Confinement of Cows,
  Pastures Calves and Yearlings.
  - Driveways •
    - Stallions and Mares



6

BARS

6

GAUGE

2" CATTLEMAN'S	LENGTH	WEIGHT
SHQGTCM08	8′	86 lbs.
SHQGTCM10	10′	114 lbs.
SHQGTCM12	12′	121 lbs.
SHQGTCM14	14′	139 lbs.
SHQGTCM08	16′	157 lbs.

#### SUGGESTED APPLICATIONS:

- Bull Pens
- Heavy Confinement Calving Barns
- Feed Lots

**2" SUPER SIX GATE** 



BARS

GAUGE

SHQGTSS08	8′	102 lbs.
SHQGTSS10	10′	127 lbs.
SHQGTSS12	12′	148 lbs.
SHQGTSS14	14′	169 lbs.
SHQGTSS16	16′	193 lbs.
* Hinges sold separately.		

#### SUGGESTED APPLICATIONS:

2" SUPER SIX

- Rodeo Arenas
- Bison Pens
- Elk Pens
- **Bull Pens**
- Stallion Pens
- Crowding Areas
- Heavy Confinement

WEIGHT

SHQGTCM08	8′	86 lbs.
SHQGTCM10	10′	114 lbs.
SHQGTCM12	12′	121 lbs.
SHQGTCM14	14′	139 lbs.
SHQGTCM08	16′	157 lbs.

Sale Barns

LENGTH

#### 1-877-782-3073 • www.siouxsteel.com • info@siouxsteel.com

59

INCHES HIGH

#### 2" CATTLEMAN'S GATE



HEAVY DUTY HINGE	DESCRIPTION	WEIGHT
S168760	2" Adjustable Heavy Duty Plated Hinge	5.7 lbs.
S174875	Bucket Of (8) Hinges	49 lbs.



DESCRIPTION

Hinge Kit: J-Bolt w/1.5-1.66" Clamp Plated

Bucket Of (12) Hinges

WEIGHT

2.7 lbs.

35 lbs.

· Heavy-duty hinge.

\$173782

\$174873

- 1" dia. x 12" threaded rod.
- 2 piece clamp with 1/2" hardware.



ADJUSTABLE HINGE	CRIPTION	WEIGHT
S168750 2" Adjust Plat	able Standard ed Hinge	3.5 lbs.
<b>S172795</b> Bucket 0	Of (12) Hinges	45 lbs.

- Allows gate to be moved up or down.
- Takes tough wear. Swings 270°.
- 3/4" dia. x 12" threaded rod.

SUPER SIX HINGE

• 2 piece clamp and solid steel hinge pin.

DESCRIPTION

S202657BRN Heavy Duty Hinge Bolt with Pin

S202667BRN Heavy Duty Hinge Bolt 4.3 lbs.

WEIGHT

3.5 lbs.



J-BOLT W/ 2" CLAMP	DESCRIPTION	WEIGHT
S173781	Hinge Kit: J-Bolt w/2" Clamp Plated	3.2 lbs.
S174874	Bucket Of (12) Hinges	42 lbs.

- · Adjustable in and out on bolt.
- Adjustable up and down on gate.
- 3/4" dia. x 12" threaded rod.
  - 2" and 1 5/8" available.



WALL MOUNT	DESCRIPTION	WEIGHT
S155755	Hinge Kit - Wall Mount Bracket Plate is 4.5" x 4.5" x .25" thick. Plate to hinge center is 5.141".	3.3 lbs.



3.9 lbs.

GATE LATCH	DESCRIPTION	WEIGHT
SSCBLPG	Cowboy Gate Latch	18 lbs.

GATE DESCRIPTION WEIGHT

SGL16103	2-Way Gate Latch	4 lbs.





Search local dealerships or buy direct online.

MSRP product pricing featured along with additional product information. Replacement parts for gates, working equipment, feeders, waterers and more.

Sioux Steel Company (the "Company") warrants to the origi-

nal purchaser that the livestock gates labeled through the

Company's "Lifetime Guarantee Gate Program" (the "Gates")

are free from defects in material and workmanship for the

life of the original purchaser. The "Sioux Steel Guaranteed

Gate" sticker and/or the notch located where the chain hooks

onto the gate must be present on the gate in order to qualify

for the lifetime warranty. No individual or entity, including



WHEEL KIT	DESCRIPTION	WEIGHT
SGL16106	8" Wheel Kit	3.5 lbs.

Easily latch or unlatch gates while on horseback or on foot. Can be installed to wood or gate tubing. Versatile latch option for your operation.



the selling dealer, is authorized to make any statements or assume for the Company any liability relating to or arising from the product or its use that varies from the express terms of the Limited Lifetime Warranty. EXCLUSIONS: The Limited Lifetime Warranty does not cover and the Company is not responsible for: (i) modification or alteration of the Gates; (ii) cosmetic damage, normal wear and tear or damage that does not hinder the functionality of the Gates,

### LIFETIME GATE WARRANTY

If a gate is ever damaged so that it cannot be used for its intended purpose, we will repair or replace at no charge to you, our customer. If a gate is hit with a loader or backed into with a truck/tractor, the gate has to be damaged to the point that it cannot be used as a gate to hold cattle, sheep, hogs or any other livestock. This is not a scratch or dent cosmetic warranty, it's a pass or fail warranty as to the functionality of the gate. Call us at **1-877-782-3073** today to learn more.

#### THIRD GENERATION FAMILY USING SIOUX STEEL GATES

This 3 generation, family-owned operation owns an astounding 287 Sioux gates and panels. When asked why they buy Sioux gates, their answer was: "Strength, reliability, and their local dealer who cares about their operation."



including fading of the color; (iii) damage caused by use for purposes inconsistent with its intended purpose or design; (iv) damage due to use of any parts or components not supplied by the Company. The obligation of the Company is limited to repairing or replacing at its factory any part or component determined to its satisfaction to be defective, and all costs, expenses including transportation, and any fees are the responsibility of the customer. The customer must notify the Company of a claim by registered or certified mail within (30) days after discovery or the claim shall be deemed waived at Sioux Steel Company, 196 ½ E. 6th Street, Sioux Falls, SD 57104. This information is not intended to be the entire Limited Lifetime Warranty for the Gates and is for informational purposes only. Please see the Company's New Product Warranty for the full Limited Lifetime Warranty.



PO Box 1265 • Sioux Falls, SD 57101-1265 • 1-877-782-3073 www.siouxsteel.com • info@siouxsteel.com



Rev 20211028